

Serial No.: 10/613,700

Art Unit: 2881

Remarks/Arguments

The specification has been amended to correct a font error. The symbol "???" in paragraph [[31]] as published has been replaced with the Greek letter "Δ".

Claims 1 to 31 are pending and have been allowed. Claims 21 and 25-27 have been amended to correct minor clerical informalities. Specifically, Claims 21 and 25-27 have been amended to properly identify antecedents.

No new matter is being introduced by this amendment.

Entry of this amendment after allowance is earnestly solicited.

Respectfully submitted,

DINSMORE & SHOHL LLP

By: 

James E. Beyer

Registration No. 39,564

DINSMORE & SHOHL LLP

One Dayton Centre,

One South Main St., Suite 1300

Dayton, OH 45402-2023

Tel: 937-223-2050

Fax: 937-223-0724

MZ/lrad  
92706-54

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**